

| A · H · D | A · H公差 | D公差 |
|-----------|---------|-----------|
| 2~50 | ±0.3 | +0.2 0 |
| 50.1~300 | ±0.5 | |

製作條件

K ≥ 2

T0.05 … H ≤ 280

T2.3~4 … D ≥ 3

T4.5~6 … D ≥ 4

硬化鋼

T0.35, 0.7, 1.2~2 … A, H ≤ 80

| Type | 材質 | T | | | | | | | | | | | | |
|------|--|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|-------|--------|
| | | 0.05 | 0.1 | 0.15 | 0.2 | 0.25 | 0.3 | 0.35 | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 1 |
| FDf | 鐵(T0.1~3: ≈SPCC、T3.2~6:SPHC) | - | ±0.03 | ±0.03 | ±0.03 | ±0.04 | ±0.04 | - | ±0.05 | ±0.05 | ±0.06 | - | ±0.06 | ±0.08 |
| FDY | 硬化鋼(T0.1~0.15:SK95、T0.2~2:SK85) …硬度HRC42~46 | - | ±0.015 | ±0.015 | ±0.02 | ±0.025 | ±0.025 | ±0.025 | ±0.035 | ±0.035 | ±0.04 | ±0.04 | ±0.04 | ±0.05 |
| FDS | 不銹鋼(SUS304) | ±0.005 | ±0.008 | ±0.008 | ±0.01 | ±0.015 | ±0.015 | ±0.015 | ±0.02 | ±0.02 | ±0.025 | ±0.03 | ±0.03 | ±0.035 |
| FDB | 黃銅(C2680或C2801) | ±0.005 | ±0.02 | ±0.02 | ±0.02 | ±0.02 | ±0.03 | - | ±0.04 | ±0.04 | ±0.04 | ±0.04 | ±0.04 | ±0.05 |
| FDA | 鋁(T0.1~0.15:1N30、T0.2~3:A1050) | - | ±0.03 | ±0.03 | ±0.03 | - | ±0.04 | - | ±0.04 | ±0.04 | ±0.04 | - | ±0.05 | ±0.05 |

| Type | 材質 | T | | | | | | | | | | | | |
|------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | 1.2 | 1.5 | 1.6 | 2 | 2.3 | 2.5 | 2.6 | 3 | 3.2 | 4 | 4.5 | 5 | 6 |
| FDf | 鐵(T0.1~3: ≈SPCC、T3.2~6:SPHC) | ±0.08 | - | ±0.12 | ±0.14 | ±0.14 | - | ±0.21 | ±0.23 | ±0.23 | ±0.26 | ±0.26 | ±0.28 | ±0.3 |
| FDY | 硬化鋼(T0.1~0.15:SK95、T0.2~2:SK85) …硬度HRC42~46 | ±0.05 | ±0.05 | ±0.06 | ±0.07 | - | - | - | - | - | - | - | - | - |
| FDS | 不銹鋼(SUS304) | ±0.1 | ±0.12 | - | ±0.17 | - | ±0.22 | - | ±0.22 | - | ±0.35 | - | ±0.4 | ±0.5 |
| FDB | 黃銅(C2680或C2801) | ±0.05 | ±0.06 | - | ±0.06 | - | - | - | - | - | - | - | - | - |
| FDA | 鋁(T0.1~0.15:1N30、T0.2~3:A1050) | ±0.06 | ±0.06 | - | ±0.08 | - | - | - | ±0.11 | - | - | - | - | - |

| Type | 指定單位: 0.1mm | | | | | | 板厚 T* | 庫存 | | | | |
|--|-------------|---------|---------|----------|---------|---------|----------|-----|-----|-----|-----|-----|
| | 短邊 | 長邊 | 孔徑 D | 孔位置 X | 孔深 Y | 孔距 P | | 鐵 | 硬化鋼 | SUS | 黃銅 | 鋁 |
| | | | | | | | | FDf | FDY | FDS | FDB | FDA |
| FDF (鐵) FDY (硬化鋼) FDS (SUS) FDB (黃銅) FDA (鋁) | 10~50 | 10~50 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | △ | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | △ | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | △ | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | | | △ |
| | | | | | | | 4、4.5 | △ | | | | |
| | | | | | | | 5、6 | △ | | | | |
| | | 0.05 | | | | | | | △ | △ | | |
| | | 0.1~0.5 | | | | | △ | △ | △ | △ | △ | |
| | | 0.6~1 | | | | | △ | △ | △ | △ | △ | |
| | | 1.2~2.3 | | | | | △ | △ | △ | △ | △ | |
| | | 2.5~3.2 | | | | | △ | | | | △ | |
| | | 4、4.5 | | | | | △ | | | | | |
| | | 5、6 | | | | | △ | | | | | |
| 0.05 | | | △ | △ | | | | | | | | |
| 0.1~0.5 | △ | △ | △ | △ | △ | | | | | | | |
| 0.6~1 | △ | △ | △ | △ | △ | | | | | | | |
| 1.2~2.3 | △ | △ | △ | △ | △ | | | | | | | |
| 2.5~3.2 | △ | | | | △ | | | | | | | |
| 4、4.5 | △ | | | | | | | | | | | |
| 5、6 | △ | | | | | | | | | | | |

PS. 備註

- 尺寸指定時，請注意製作條件
- *規格請參照厚度公差表

| Type | 指定單位：0.1mm | | | | | | 板厚 T* | 庫存 | | | | |
|--------------|------------|-----------|---------|----------|---------|---------|----------|-----|-----|-----|-----|-----|
| | 短邊 | 長邊 | 孔徑 D | 孔位置 X | 孔深 Y | 孔距 P | | 鐵 | 硬化鋼 | SUS | 黃銅 | 鋁 |
| | | | | | | | | FDF | FDY | FDS | FDB | FDA |
| FDF (鐵) | 10~50 | 200.1~300 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | △ | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | △ | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | △ | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDY (硬化鋼) | 50.1~100 | 100.1~200 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | △ | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | △ | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | △ | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDS (SUS) | 50.1~100 | 100.1~200 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDB (黃銅) | 50.1~100 | 100.1~200 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDA (鋁) | 200.1~300 | 200.1~300 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |

PS. 備註

- 尺寸指定時，請注意製作條件
- *規格請參照厚度公差表


訂貨：Type - [A] - [H] - [D] - [X] - [Y] - [P] - [T] - 處理 交期：20 天

FDS - 50 - 70 - 6 - 8 - 8 - 30 - 0.1

FDS - 50 - 70 - 6 - 8 - 8 - 30 - 0.1 - LM

處理

- 雷射刻字 ...品號末尾 LM
- 蓋印 ...品號末尾 S
- 黏著劑塗布...品號末尾 N
- 染黑 ...品號末尾 C



| A · H · D | A · H公差 | D公差 |
|-----------|---------|-----------|
| 2~50 | ±0.3 | +0.2 0 |
| 50.1~300 | ±0.5 | |

製作條件

K ≥ 2

T0.05 … H ≤ 280

T2.3~4 … D ≥ 3

T4.5~6 … D ≥ 4

硬化鋼

T0.35, 0.7, 1.2~2 … A, H ≤ 80

| Type | 材質 | T | | | | | | | | | | | | |
|------|--|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|-------|--------|
| | | 0.05 | 0.1 | 0.15 | 0.2 | 0.25 | 0.3 | 0.35 | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 1 |
| PDF | 鐵(T0.1~3: ≈SPCC、T3.2~6:SPHC) | - | ±0.03 | ±0.03 | ±0.03 | ±0.04 | ±0.04 | - | ±0.05 | ±0.05 | ±0.06 | - | ±0.06 | ±0.08 |
| FDY | 硬化鋼(T0.1~0.15:SK95、T0.2~2:SK85) …硬度HRC42~46 | - | ±0.015 | ±0.015 | ±0.02 | ±0.025 | ±0.025 | ±0.025 | ±0.035 | ±0.035 | ±0.04 | ±0.04 | ±0.04 | ±0.05 |
| FDS | 不銹鋼(SUS304) | ±0.005 | ±0.008 | ±0.008 | ±0.01 | ±0.015 | ±0.015 | ±0.015 | ±0.02 | ±0.02 | ±0.025 | ±0.03 | ±0.03 | ±0.035 |
| FDB | 黃銅(C2680或C2801) | ±0.005 | ±0.02 | ±0.02 | ±0.02 | ±0.02 | ±0.03 | - | ±0.04 | ±0.04 | ±0.04 | ±0.04 | ±0.04 | ±0.05 |
| FDA | 鋁(T0.1~0.15:1N30、T0.2~3:A1050) | - | ±0.03 | ±0.03 | ±0.03 | - | ±0.04 | - | ±0.04 | ±0.04 | ±0.04 | - | ±0.05 | ±0.05 |

| Type | 材質 | T | | | | | | | | | | | | |
|------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | 1.2 | 1.5 | 1.6 | 2 | 2.3 | 2.5 | 2.6 | 3 | 3.2 | 4 | 4.5 | 5 | 6 |
| PDF | 鐵(T0.1~3: ≈SPCC、T3.2~6:SPHC) | ±0.08 | - | ±0.12 | ±0.14 | ±0.14 | - | ±0.21 | ±0.23 | ±0.23 | ±0.26 | ±0.26 | ±0.28 | ±0.3 |
| FDY | 硬化鋼(T0.1~0.15:SK95、T0.2~2:SK85) …硬度HRC42~46 | ±0.05 | ±0.05 | ±0.06 | ±0.07 | - | - | - | - | - | - | - | - | - |
| FDS | 不銹鋼(SUS304) | ±0.1 | ±0.12 | - | ±0.17 | - | ±0.22 | - | ±0.22 | - | ±0.35 | - | ±0.4 | ±0.5 |
| FDB | 黃銅(C2680或C2801) | ±0.05 | ±0.06 | - | ±0.06 | - | - | - | - | - | - | - | - | - |
| FDA | 鋁(T0.1~0.15:1N30、T0.2~3:A1050) | ±0.06 | ±0.06 | - | ±0.08 | - | - | - | ±0.11 | - | - | - | - | - |

| Type | 指定單位: 0.1mm | | | | | | 板厚 T* | 庫存 | | | | |
|--------------|-------------|-----------|---------|----------|---------|---------|----------|-----|-----|-----|-----|-----|
| | 短邊 | 長邊 | 孔徑 D | 孔位置 X | 孔深 Y | 孔距 P | | 鐵 | 硬化鋼 | SUS | 黃銅 | 鋁 |
| | | | | | | | | PDF | FDY | FDS | FDB | FDA |
| PDF (鐵) | 100.1~200 | 100.1~200 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | △ |
| | | | | | | | 2.5~3.2 | △ | | △ | | △ |
| FDY (硬化鋼) | 100.1~200 | 100.1~200 | 2~ | 3~ | 3~ | 4~ | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDS (SUS) | 200.1~300 | 200.1~300 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | △ | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | △ |
| | | | | | | | 0.6~1 | △ | | △ | △ | △ |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | △ |
| FDB (黃銅) | 200.1~300 | 200.1~300 | 2~ | 3~ | 3~ | 4~ | 2.5~3.2 | △ | | △ | | △ |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |
| FDA (鋁) | 200.1~300 | 200.1~300 | 2~ | 3~ | 3~ | 4~ | 0.05 | | | | △ | |
| | | | | | | | 0.1~0.5 | △ | | △ | △ | |
| | | | | | | | 0.6~1 | △ | | △ | △ | |
| | | | | | | | 1.2~2.3 | △ | | △ | △ | |
| | | | | | | | 2.5~3.2 | △ | | △ | | |
| | | | | | | | 4、4.5 | △ | | △ | | |
| | | | | | | | 5、6 | △ | | △ | | |

PS. 備註

- 尺寸指定時，請注意製作條件
- *規格請參照厚度公差表

處理

- 雷射刻字 … 品號末尾 LM
- 蓋印 … 品號末尾 S
- 黏著劑塗布 … 品號末尾 N
- 染黑 … 品號末尾 C

訂貨: Type - A - H - D - X - Y - P - T - 處理

FDS - 50 - 70 - 6 - 8 - 8 - 30 - 0.1

FDS - 50 - 70 - 6 - 8 - 8 - 30 - 0.1 - LM

交期: 20 天