

RoHS



產品組成		品號	頭部 ∅	質量 (g)	庫存
	鑄鐵外殼	3001.030	30	350	·
	木柄	3001.040	40	610	·
	TPE-軟, 藍色頭部3201×2個	3001.050	50	1070	·
		3001.060	60	1460	·
	鑄鐵外殼	3002.030	30	345	·
	木柄	3002.040	40	660	·
	合成橡膠, 黑色頭部3202×2個	3002.050	50	1150	·
		3002.060	60	1550	·
	鑄鐵外殼	3003.030	30	335	·
	木柄	3003.040	40	600	·
	TPE-中, 灰色頭部3203×2個	3003.050	50	1070	·
		3003.060	60	1420	·
	鑄鐵外殼	3006.030	30	345	·
	木柄	3006.040	40	635	·
	塑膠, 紅色頭部3206×2個	3006.050	50	1120	·
		3006.060	60	1520	·
	鑄鐵外殼	3007.030	30	320	·
	木柄	3007.040	40	610	·
	超級塑膠, 白色頭部3207×2個	3007.050	50	1040	·
		3007.060	60	1440	·
	鑄鐵外殼	3007.080	80	2660	·
	尼龍, 白色頭部3208×2個	3008.030	30	340	·
		3008.040	40	650	·
	木柄	3008.050	50	1130	·
3008.060		60	1500	·	
	木柄	3008.080	80	2880	·
		3009.030	30	400	·
	鑄鐵外殼	3009.040	40	750	·
		3009.050	50	1380	·
木柄	3009.060	60	1950	·	
	鋁合金, 銀色頭部3209×2個	3009.080	80	3860	·

Ps. 備註

· 部件如有損壞請參閱軟面槌維修包 P.1554、P.1555

訂貨： 交期：

3001.030



產品組成	品號	頭部 ∅	質量 (g)	庫存
 鋁合金外殼 木柄 TPE-軟, 藍色頭部3201×2個	3101.030	30	200	·
	3101.040	40	360	·
	3101.050	50	655	·
	3101.060	60	825	·
 鋁合金外殼 木柄 合成橡膠, 黑色頭部3202×2個	3102.030	30	210	·
	3102.040	40	405	·
	3102.050	50	740	·
	3102.060	60	980	·
 鋁合金外殼 木柄 TPE-中, 灰色頭部3203×2個	3103.030	30	205	·
	3103.040	40	360	·
	3103.050	50	635	·
	3103.060	60	825	·
 鑄鐵外殼 木柄 塑膠, 紅色頭部3206×2個	3106.030	30	205	·
	3106.040	40	390	·
	3106.050	50	720	·
	3106.060	60	920	·
 鋁合金外殼 木柄 超級塑膠, 白色頭部3207×2個	3107.030	30	215	·
	3107.040	40	360	·
	3107.050	50	675	·
	3107.060	60	855	·
 鋁合金外殼 木柄 尼龍, 白色頭部3208×2個	3108.030	30	215	·
	3108.040	40	395	·
	3108.050	50	720	·
	3108.060	60	930	·

Ps. 備註

· 部件如有損壞請參閱軟面槌維修包 P.1554、P.1555

訂貨： 交期： 天

3101.030

Ex. 使用例



強化型外殼適用於銅、輕金屬及塑膠頭

- 可靠的新發展技術
- 塑膠規格襯套夾緊銅製頭，可避免外殼變形及保證安全穩定性
- 新的強化型鑄鋼外殼
- 玻纖握把適用於高工作應力
- 拆裝容易



銅+塑膠襯套頭部
Type : 3804
修理用
硬度：●●●●●

強化型鑄鋼外殼




玻纖握把


橡膠握把

Te. 技術資料

頭部 Ø	30	40
	90	110
	300	330





產品組成	品號	頭部 ∅	質量 (g)	庫存
 強化鑄鋼外殼 玻纖握把 銅+塑膠襯套頭部3804×2個	3704.030	30	690	·
	3704.040	40	1410	·
	-	-	-	

Ps. 備註

· 部件如有損壞請參閱軟面槌維修包 P.1554、P.1555

訂貨： 交期：

3704.030


RoHS

軟面槌頭部零件		品號	頭部 Ø	質量 (g)	庫存
	TPE-軟, 藍色3201 硬度: ●○○○○	3201.030	30	23	·
		3201.040	40	47	·
		3201.050	50	90	·
		3201.060	60	135	·
	合成橡膠, 黑色3202 硬度: ●●○○○	3202.030	30	30	·
		3202.040	40	65	·
		3202.050	50	125	·
		3202.060	60	205	·
		3202.080	80	430	·
	TPE-中, 灰色3203 硬度: ●●○○○	3203.030	30	22	·
		3203.040	40	45	·
		3203.050	50	85	·
	塑膠, 紅色3206 硬度: ●●●●○	3206.030	30	25	·
		3206.040	40	60	·
		3206.050	50	115	·
		3206.060	60	190	·
	超級塑膠, 白色3207 硬度: ●●●●○	3207.030	30	22	·
		3207.040	40	50	·
		3207.050	50	100	·
		3207.060	60	160	·
		3207.080	80	325	·
		3207.100	100	450	·
		3207.125	125	735	·
	尼龍, 白色3208 硬度: ●●●●○	3208.030	30	26	·
		3208.040	40	65	·
		3208.050	50	120	·
		3208.060	60	195	·
	鋁合金, 銀色3209 硬度: ●●●●●	3209.030	30	55	·
		3209.040	40	120	·
		3209.050	50	250	·
		3209.060	60	405	·
		3209.080	80	855	·
	銅+塑膠襯套3804 硬度: ●●●●●	3804.030	30	145	·
		3804.040	40	325	·




Te. 技術資料

訂貨: 交期:

3201.030




RoHS

軟面槌外殼	材質	品號	頭部 Ø	質量 (g)	庫存
	鑄鐵	3011.030	30	225	·
		3011.040	40	420	·
		3011.050	50	725	·
		3011.060	60	975	·
		3011.080	80	1785	·
		3011.100	100	3550	·
		3011.125	125	5370	·
	鋁合金	3122.030	30	90	·
		3122.040	40	170	·
		3122.050	50	330	·
		3122.060	60	395	·
	強化鑄鋼	3711.030	30	265	·
		3711.040	40	530	·
		3711.050	50	785	·
		3711.060	60	1025	·
		3711.080	80	2160	·

軟面槌把手	材質	品號	頭部 Ø	長度	質量 (g)	庫存
	木材	3244.030	30	260	65	·
		3244.040	40	275	100	·
		3244.050	50	310	130	·
		3244.060	60	335	150	·
		3244.080	80	395	255	·
	木材	3244.081	80	700	610	·
		3244.100	100	900	890	·
		3244.100	125	900	890	·
		3244.100	140	900	890	·
	玻纖	3844.030	30	260	130	·
		3844.040	40	267	220	·
		3844.040	50	267	220	·
		3844.060	60	340	400	·
		3844.080	80	400	435	·
		3844.081	80	700	790	·

訂貨： 交期： 天
3011.030



Simplex
長柄大槌



Simplex "C"
長柄大槌



Supercraft®
長柄大槌



Simplex 長柄大槌

和Simplex軟面槌性能相同

Simplex 長柄大槌 "C"

和Simplex軟面槌"c"性能相同

Supercraft® 長柄大槌

和Supercraft魔術槌性能相同

Simplex 長柄大槌

- 四種尺寸
- 超級塑膠頭部材質，ø80mm頭部由超級塑膠和合成橡膠製成
- 木製握把
- 頭部和握把容易更換










Simplex 長柄大槌 "C"

- 頭部尺寸ø80mm
- 頭部材質由超級塑膠、合成橡膠及軟金屬製成
- 只能裝設於玻纖握把

Supercraft® 長柄大槌，不反彈

- 二種尺寸

Te. 技術資料

型式	頭部 ø	80	100	125	140
Simplex 長柄大槌 		175	200	215	215
		800	1000	1040	1045
Simplex "C" 長柄大槌 		175	-	-	-
		800	-	-	-
Supercraft® 長柄大槌 		200	210	-	-
		880	1000	-	-

RoHS



產品組成	品號	頭部 ∅	質量 (g)	庫存
 <p>Simplex 長柄大槌 鑄鐵外殼 木柄，長700mm 超級塑膠，白色頭部3207×2個</p>	3007.081	80	3090	·
	3007.100	100	5200	·
	3007.125	125	7700	·
	3007.141	140	7900	·
 <p>Simplex 長柄大槌 鑄鐵外殼 木柄，長700mm 合成橡膠，黑色頭部3202×2個</p>	3002.081	80	3270	·
 <p>Simplex 長柄大槌 鑄鐵外殼 木柄，長700mm 超級塑膠，白色頭部3207×1個 合成橡膠，黑色頭部3202×1個</p>	3027.081	80	3170	·
 <p>Simplex "C" 長柄大槌 強化鑄鋼外殼 玻纖握把，長700mm 鋁合金，銀色頭部3209×2個</p>	3709.081	80	4650	·
 <p>Supercraft® 長柄大槌 魔術長柄大槌 (不反彈) 木柄 尼龍頭部</p>	3366.081	80	4410	·
	3366.107	100	7050	·

Ps. 備註

- Simplex、Simplex "C" 長柄大槌部件如有損壞請參閱軟面槌維修包 P.1554、P.1555
- Supercraft® 長柄大槌部件如有損壞請參閱魔術槌維修包 P.1561

訂貨： 交期：

3007.081

Ex. 使用例



RoHS

產品組成	品號	頭部 ∅	質量 (g)	庫存
 <p>木製握把 不反彈 尼龍頭部</p>	3366.020	20	245	·
	3366.025	25	325	·
	3366.030	30	460	·
	3366.035	35	560	·
	3366.040	40	715	·
	3366.045	45	830	·
	3366.050	50	990	·
	3366.060	60	1705	·
	3366.070	70	2215	·
3366.080	80	3210	·	
 <p>防滑鋼管握把 不反彈 尼龍頭部</p>	3377.025	25	385	·
	3377.030	30	585	·
	3377.035	35	690	·
	3377.040	40	805	·
	3377.045	45	935	·
	3377.050	50	1150	·
	3377.060	60	1750	·
3377.070	70	2250	·	
 <p>防滑特殊握把 不反彈 尼龍頭部</p>	3389.040	40	790	·
	3389.050	50	1040	·
	3389.060	60	1625	·
 <p>圓型魔術槌 不反彈 包覆PUR橡膠</p>	3379.040	40	640	·
	3379.050	50	900	·
	3379.060	60	1300	·
 <p>方型魔術槌 不反彈 優力膠頭部(30×40四方形)</p>	3380.040	30×40	680	·

Ps. 備註

· 部件如有損壞請參閱魔術槌維修包 P.1561

訂貨： 交期：
3366.020

Ex. 使用例



RoHS


Nylon drop
敲擊棒

Nylon drop 敲擊棒，不反彈





- 七種尺寸
- 頭部可以更換
- 和Supercraft® 魔術槌一樣，不反彈
- 用途廣泛



Punches 敲擊棒，會反彈

- 三種尺寸
- 製作牢固(單件式)
- 適用各種用途

Punches
敲擊棒

Te. 技術資料

型式	頭部 Ø	10	12	15	20	30	40	50
Nylon drop 敲擊棒 		-	-	-	150	155	160	165
Punches 敲擊棒 		168	170	175	-	-	-	-

產品組成	品號	頭部 Ø	質量 (g)	庫存
 Nylon drop 敲擊棒 不反彈 尼龍頭部	3408.020	20	215	·
	3408.030	30	470	·
	3408.040	40	785	·
	3408.050	50	1250	·
 Punches 敲擊棒 會反彈 尼龍頭部	3408.010	10	90	·
	3408.012	12	130	·
	3408.015	15	200	·

Ps. 備註

· 部件如有損壞請參閱魔術槌維修包 P.1561

訂貨： 交期：

3408.020


RoHS

頭部零件	適用品號	品號	頭部 ∅	質量 (g)	庫存
 魔術槌、敲擊棒更換用 尼龍頭部 硬度：●●●●○	3366 3377 3389 3408	3508.020	20	5	·
		3508.025	25	10	·
		3508.030	30	17	·
		3508.035	35	23	·
		3508.040	40	32	·
		3508.045	45	43	·
		3508.050	50	55	·
		3508.060	60	95	·
		3508.070	70	130	·
3508.080	80	195	·		
 魔術長柄大槌更換用 尼龍頭部 硬度：●●●●○	3366.081	3508.080	80	195	·
	3366.107	3508.100	100	345	·
 方型魔術槌更換用 優力膠頭部 硬度：●●●●○	3380	3511.040	30×40	35	·
 敲擊棒更換用 尼龍頭部 硬度：●●●●○	3408	3508.010	10	1	·
		3508.012	12	2	·
		3508.015	15	4	·


 訂貨： 交期： 天

3508.020


更換頭部方式



先利用鉗子將頭部確實夾緊，
再側向扭轉鬆開



當頭部鬆開後，將槌子向上拉起



利用鉗子固定，將新的頭部壓入外殼